



**Notice to Bidder's
for the
Athens & Mansfield's Parking Lot Resurfacing Renovations**

Addendum #1

This addendum, dated April 5, 2019, is to notify all potential bidder's that changes have been made to The BeST Transit's Invitation to Bid documents as stated below.

1. BeST Transit has provided a Google Earth Map for each location to identify areas with a number and a scope of work attached to each numbered area, as requested by bidders.

Athens Scope of Work

Area #1

Crack fill and seal area.

Stripe parking lot to match existing patterns.

Area #2

Mill out and repair damaged areas to allow for type 3, 4" base and type 7, 2" top coat.

Crack fill and seal area.

Stripe parking lot to match existing patterns.

Area #3

Mill out and repair damaged areas to allow for type 3, 4" base and type 7, 2" top coat.

Crack fill and seal area.

Stripe parking lot to match existing patterns.

Area #4

Mill out and repair entire area to allow for type 3, 4" base and type 7, 2" top coat.

Crack fill and seal area.

Stripe parking lot to match existing patterns.

Area #5

Remove concrete pad.

Remove Bollards.

Mill out area to allow for grade of water from building

Top coat with type 7, 2".

Area #6

Mill out and repair entire area to allow for type 3, 4" base and type 7, 2" top coat.

Crack fill and seal area

Stripe parking lot to match existing patterns.

Mansfield Scope of Work

Area #1

Crack fill and seal area.

Stripe parking lot to match existing patterns.

Area #2

Mill out and repair damaged areas to allow for type 3, 4" base.

Mill areas around building for grade of water. Prep for applying type 7, 2" top coat.

Apply 7, 2" top coat to entire #2 area.

Crack seal at final.

Stripe parking lot to match existing patterns.

Notes:

Replace concrete sealant with rubberized sealant for around buildings.

Remove edge cut grass from scope of work.

Bidders are welcome to measure areas as needed. Please contact Carl Souder at 570-423-2086 for Athens and Dick Roloson at 570-659-5330 for Mansfield.

2. BeST Transit will use the Davis-Bacon prevailing wage rates for Tioga and Bradford counties for this project.
3. Material for Sealing-2 coats of rubberized coal tar emulsion
70% concentrate
3 lbs. of sand per gallon of concentrate
Crack fill will be rubberized

4. Some weekend work will be required. Direct coordination will need to be made with Carl Souder, 570-423-2086.

5. Please see:
Attachment A-Google Earth Maps
Attachment B-Revised Bid Form

All persons and firms submitting a Bid in response to this IFB must certify receipt of this Addendum #1 issued by BeST Transit under this solicitation by submitting the Certification of Receipt of Addenda to the Invitation to Bid with their bid documents.

Thank You & Sincerely,

April M. Stine

Procurement Manager & Compliance Officer
City of Williamsport/River Valley Transit/Best Transit
1500 West Third Street
Williamsport, PA 17701
Phone: 570-326-2500 Ext.130
Fax: 570-326-9885
Email: astine@ridervt.com

